Mineral Insulated Thermocouple model BM

MIT Measuring Insert

In general

Reckmann GmbH temperature sensors (R58®) are used exclusively for measuring process temperatures in solid, liquid or gaseous media. The measuring insert (fig.1) is, so to speak, the carrier of the sensor element and the exchangeable unit of our thermometers of the design with protection fitting.

Range of application:

Fitted as standard in thermocouples according to DIN EN 50446. Form BM / BK or for non-critical measurements with connection head.

For installation-specific data, see installation instructions for MIT. Type code 1R9-G1.

Technical datas

• Measuring insert (fig. 1) according to or similar to DIN 43735 Sensor depending on temperature range and application: with 1, 2 or 3 thermocouples according to IEC / EN 60584-1. Type J (Fe-CuNi),

Type K (NiCr-Ni),

Type N (NiCrSi-NiSi),

Type E (NiCr-CuNi),

Type T (Cu-CuNi),

Type S (Pt10%Rh-Pt), Type R (Pt13%Rh-Pt),

Recommended operating temperature at measuring tip depending on

thermocouple type and diameter -50 °C to: Type J: Ø 3.0 mm up to 520 °C, Ø 4.5 up to 620 °C, 6.0 and 8.0 mm

up to 720 °C.

Type K: Ø 3.0 mm up to 1070 °C, Ø 4.5; 6.0 and 8.0 mm up to 1100 °C.

Type N: Ø 3,0 mm up to 1070 °C, Ø 4,5; 6,0 and 8,0 mm up to 1100 °C.

Type E: Ø 3,0 mm up to 650 °C, Ø 4,5 up to 730 °C, 6,0 and 8,0 mm up to 820 °C.

Type T: Ø 3.0 mm up to 315 °C, Ø 4.5 / 6.0 and 8.0 mm up to 350 °C.

Type S/R: Ø 1.5 / Ø 3.0 and 6.0 mm up to 1300 °C.

Note:

Type S/R only makes sense with sheath made of Pt10%Rh for 0°C up to max. 1300°C.

- Sheath material design according to or similar to IEC / EN 61515. Preferred material 2.4816. Preferred diameter 3, 6 or 8 mm.
- Optional: Class 3 requirements (-200 °C to 40 °C) on request. For requirements of class 1 and class 3 only possible with specially selected sheath material, high expense and not with type T. Translated with www.DeepL.com/Translator (free version).




fig. 1

Deviations according to the sensor type

Thermocouples

table 1


Thermocouple	Permitted deviations 1) (±°C) and the validity for the temperature		
type	class 1	class 2	class 3 ²⁾
by Type T	0,5 °C oder 0,004 x t	1 °C oder 0,0075 x t	1 °C oder 0,015 x t
Type T	-40 °C bis +350 °C	-40 °C bis +350 °C	-200 °C bis +40 °C
bei Typ E,J,K,N	1,5 °C oder 0,004 x t	2,5 °C oder 0,0075 x t	2,5 °C oder 0,015 x t
Type E	-40 °C bis +800 °C	-40 °C bis +900 °C	-200 °C bis +40 °C
Type J	-40 °C bis +750 °C	-40 °C bis +750 °C	
Type K	-40 °C bis +1000 °C	-40 °C bis +1200 °C	-200 °C bis +40 °C
Type N	-40 °C bis +1000 °C	-40 °C bis +1200 °C	-200 °C bis +40 °C
by Typ R oder S	1 °C für t < 1100 °C [1 + 0,003 x (t - 1100)] für t > 1100 °C	1,5 °C oder 0,0025 x t	4 °C oder 0,005 x t
by Type B		0,01 x t	
Type B		600 °C bis 1700 °C	600 °C bis 1700 °C

¹⁾ The deviation limit is either given as the difference in °C or as a function of temperature (°C from IST-90) according to the above mentioned table. For each the greater value is valid.


Source: Technical dates from IEC / EN 60584-1:2014-07 chapter 5

Electrical connection diagrams


Colour code according to IEC / EN 60584-3



Terminal base model B 1 thermocouple



Terminal base model B 2 thermocouples



Terminal base model B 3 thermocouples

²⁾ The normally available material for thermocouples keeps the limit deviation according to Table 1 for temperatures above -40°C. At low temperatures, these materials do not necessarily meet the class 3 limit deviations. If thermocouples of types T, E, K and N are required, which comply with both the class 3 and class 1 or 2 limit deviations, this must be specified by the user because therefore a special selection of the available material is usually necessary.